



WELLSTE  
- ALUMINUM -




WELLSTE MATERIAL CO.,LTD.

维斯得材料有限公司




[www.wellste.com](http://www.wellste.com)




**Square Pipe**

A(mm)	B(mm)	T(mm)	weight(kg/m)
10	10	0.8	0.061
10	10	1.209	0.09
10	20	1.5	0.22
12	12	1.5	0.17
14	24	1.2	0.23
15	12	1	0.136
15	15	1.2	0.18
19	19	1.8	0.33
20	9	0.8	0.119
20	12	0.8	0.132
20	20	0.9	0.19
20	20	1.2	0.244
20	30	1	0.262
20	50	1.1	0.404
22	22	2	0.44
25	16	1.2	0.25
25	25	1.2	0.312
25	25	1.5	0.39
25	25	1.6	0.403
26	26	3.9	0.934
26	26	1.9	0.5
28	9	1	0.21
28	28	1.4	0.41
30	30	1.6	0.5
32	24	1	0.3
35	35	1.6	0.58
36	16	1	0.27
35	25	1.2	0.397
38	38	2	0.786
40	18	2	0.59
40	20	1.8	0.55
40	20	1.2	0.375
40	40	1.1	0.47
40	40	1.2	0.5
40	40	1.2	0.5
40	40	2	0.83
40	40	3	1.212
44	44	1.2	0.557
150	100	2	2.67
45	30	1.2	0.53
150	120	3	4.3
50	15	1.2	0.41
50	20	1.1	0.407




**Square Pipe**

A(mm)	B(mm)	T(mm)	weight(kg/m)
50	20	2	0.721
50	25	1	0.398
50	25	1.2	0.472
50	25	1.4	0.552
50	30	1.4	0.59
50	35	1	0.454
50	40	1.6	0.76
50	50	1.6	0.85
60	25	3	1.284
60	40	1.2	0.235
60	40	2.5	1.3
60	60	1.1	0.71
60	60	2	1.27
63	40	1.2	0.66
68	60	1.5	1.03
70	25	1	0.602
70	25	1.2	0.607
70	25	1.4	0.699
70	35	1.2	0.635
76	25	1	0.541
76	25	1.4	0.751
76	76	1.2	0.98
76	76	1.4	1.14
80	40	2.5	1.56
80	40	3	1.853
80	44	1.2	0.797
80	45	2	1.32
80	60	1.6	1.186
80	80	1.2	1.025
80	80	1.5	1.3
85	25	1.2	0.705
85	25	1.4	0.813
85	85	1.4	1.28
86	25	1.2	0.706
86	45	1.4	0.98
86	45	2	1.4
86	45	2.5	1.707
90	25	1.2	0.74
90	63	2	1.63
95	25	1.8	1.14




**Square Pipe**

A(mm)	B(mm)	T(mm)	weight(kg/m)
100	44	1	0.781
100	44	2.5	1.953
100	50	1.6	1.293
100	50	3	2.355
100	100	1.2	1.3
100	100	1.6	1.73
100	150	2	2.7
106	38	1.2	0.92
120	70	2	2
110	25	1.4	1
110	35	1.5	1.163
110	50	1.5	1.28
110	50	1.5	1.36
110	50	3	2.504
110	60	1.2	1.09
110	110	2.5	2.92
110	110	3	3.5
120	110	2	2.45
120	40	1.2	1.03
120	80	2.5	2.64
120	80	4	4.23
140	45	2.5	2.439
150	75	10	12.01
150	90	2.8	3.56
150	100	2	2.67
160	30	1.3	1.32
38	10	1	0.238
38	25	1	0.32
86	45	2.5	1.71
20	20	0.9	0.186
24	24	1.2	0.23
25	25	1.1	0.29
25	25	1.6	0.393
38	38	2	0.78
40	15	1.2	0.342
40	15	2	0.55
40	18	2	0.585
40	40	2	0.823
50	15	0.2	0.41
50	20	2	0.72
50	25	1	0.4
50	25	1.2	0.472
50	25	1.4	0.586




**Square Pipe**

A(mm)	B(mm)	T(mm)	weight(kg/m)
50	30	1.4	0.586
50	35	1.1	0.494
60	25	3	1.28
60	30	1.1	0.52
60	30	1	0.477
63	40	1.2	0.654
60	40	2.5	1.29
60	60	1.1	0.7
60	60	2	1.257
70	25	1.4	0.6996
76	25	1.4	0.75
76	76	1.2	0.97
76	76	1.4	1.14
80	40	3	1.85
80	45	2	1.32
80	80	1.2	1.025
85	85	1.4	1.27
86	25	1.2	0.706
86	45	1.2	0.84
86	45	1.1	0.77
86	45	1.4	0.977
86	45	2	1.39
86	45	2.5	1.71
166	86	2	2.688
90	25	1.2	0.73
90	63	2	1.6
150	100	3	4
120	150	3	4.3
160	30	1.3	1.32
100	50	3	2.355
68	60	1.5	1.02
150	40	1.5	1.53
100	44	1.2	0.939
30	20	0.8	0.211
75	15	1.2	0.605
11	11	1	0.1
90	44	1.2	0.856
32	14	1	0.238
40	40	1.3	0.55
110	25	1.4	1
120	40	1.2	1.03
120	80	2.5	2.64
150	120	3	4.29




**Square Pipe**

A(mm)	B(mm)	T(mm)	weight(kg/m)
160	30	1.3	1.32
76	25	1	0.535
76	44	1.2	0.637
76	76	1.3	1.009
80	25	1	0.556
80	80	1.3	1.063
85	25	1	0.583
85	44	1	0.686
100	25	1	0.667
100	100	1.3	1.333
83	25	1.2	0.656
83	44	1.2	0.807
25	25	1.5	0.381
50	40	2.5	1.148
38	25	1.8	0.577
100	60	1.4	1.19
25	20	1	0.233
15	9	1	0.12
100	50	1.2	0.97
31	21	1	0.27
20	9	1	0.146
22	15	0.9	0.18
50	40	1.5	0.71
50	20	2	0.72
40	18	1.8	0.53
60	60	1	0.64
100	60	1.2	1.04
50	50	1.6	0.81
60	15	0.8	0.32
40	12	0.8	0.22
25	12	0.8	0.153
68	25	0.8	0.4
15	12	0.8	0.11
80	80	2	1.691
80	44	3	1.919
38	38	1.2	0.479
100	44	1.1	0.845
83	44	1.1	0.744
80	40	2.8	1.73
17	5	0.8	0.089
15	6	0.8	0.084
80	80	1.3	1.109
83	44	1	0.678



**Square Pipe**


A(mm)	B(mm)	T(mm)	weight(kg/m)
40	40	1.5	0.626
30	30	1.2	0.375
30	20	1	0.26
30	30	1.4	0.434
30	30	0.9	0.284
60	60	1.4	0.889
16	16	1.2	0.194
38	38	1.9	0.75
140	50	2.5	2.507
100	120	2	2.36
40	150	1.5	1.53
100	44	1.2	0.939
100	50	5	3.82
100	50	1.2	0.97
100	50	1.4	1.123
6	15	0.8	0.084
9	15	0.8	0.098
25	25	3	0.725
30	20	2.5	0.614
38	10	1	0.238
32	14	1	0.238
40	40	1.5	0.63
22	22	2	0.44
80	50	4	2.7
80	50	2.8	1.888
90	44	1.2	0.856
30	20	0.8	0.211
150	30	1.7	1.63
175	32	1.8	2.14
140	65	3	3.24
200	80	3	4.392
65	20	1	0.45
200	65	4	5.532
150	80	2	2.45
150	100	2	2.67
100	100	4	4.163
100	100	3	3.15
100	100	2	2.13
65	65	3	2.02
65	20	1	0.45
63	40	1.2	0.654
60	60	2.5	1.56
30	30	3	0.878



**Square Pipe**


A(mm)	B(mm)	T(mm)	weight(kg/m)
38	16	2	0.542
10	10	1	0.098
120	60	2	1.91
110	35	1.5	1.16
40	20	1.2	0.375
32	32	1.6	0.527
20	12	0.8	0.132
16	16	1.2	0.193
160	60	2.2	2.571
38	25	1.45	0.469
120	50	4	3.363
50	50	4	1.995
100	50	2.3	1.812
100	100	2.3	2.435
25	17	1	0.217
149	29	1.8	1.7
80	80	3	2.504
50	50	1.5	0.79
200	50	2	2.92
40	20	1	0.314
60	20	1.2	0.505
30	30	1.2	0.375
35	20	0.8	0.23
80	44	3	1.92
100	60	1.4	1.19
150	100	1.9	2.47
140	90	2.3	2.81
50	30	1.1	0.464
15	12	1.2	0.16
150	50	2	2.125
70	25	1	0.504
50	25	2	0.77
40	20	2	0.607
12	25	0.9	0.172
80	80	2	1.691
97	75	3	2.7
60	50	3	1.691
125	20	1.3	1.003
150	50	2.5	2.643
76	76	2.5	1.992
85	20	1.4	0.775
20	25	1	0.233
100	20	1.4	0.889






**Square Pipe**

A(mm)	B(mm)	T(mm)	weight(kg/m)
60	24	1.4	0.616
120	50	2	1.799
17	6	0.8	0.093
12	12	1	0.14
50	40	2.5	1.152
68	25	1	0.493
80	30	3.2	1.797
99	43	3.2	2.352
150	90	2.8	3.557
100	50	2	1.583
120	40	1.8	1.526
100	60	1.2	1.03
50	50	1	0.531




**Round Pipe**

D(mm)	T(mm)	weight(kg/m)
70	1.8	1.045
10	2	0.143
100	3	2.63
38	1.2	0.377
70	1.2	0.703
25	1	0.206
20	2.5	0.372
108	21.5	15.92
60	5	2.359
32	2.5	0.628
60	2.5	1.224
50.8	2	0.831
40	1.8	0.59
60	1.6	0.8
58	1.6	0.77
60	2	0.99
80	5	3.193
116	8	7.41
36	6	1.53
26	4	0.747
34	5	1.233
40	4	1.221
29	1.8	0.41



**Round Pipe**

D(mm)	T(mm)	weight(kg/m)
28.8	1.8	0.434
20	1.5	0.23
16	1.2	0.16
9	1.3	0.09
22	2	0.34
19	2	0.3
36	1.5	0.45
22	2.5	0.42
35	2.5	0.692
48	4	1.5
65	1.5	0.81
8	2.3	0.11
22	1	0.173
25.4	1.2	0.213
18	1.2	0.172
12	1.2	0.114
62	2.3	1.17
25	2.5	1.053
35	1.6	0.46
31.8	1.6	0.411
20	1.5	0.236
44.5	2.3	0.834
28.2	1.6	0.365
29	1.5	0.3
25	2.8	0.55
19	1.4	0.21
19	1	0.155
107.4	3.5	3.096
17	2.5	0.309
170.6	5	7.049
55	1	0.46
63	9	4.138
28	5.8	1.1
100	1.4	1.171
100	1.5	1.26
106	3	2.63
17	2.5	0.309
25.4	6.7	1.07
30	1.2	0.3
38	1.2	0.377
38	2.8	0.84
70	1.2	0.7
50	1.2	0.499



**Round Pipe**

D(mm)	T(mm)	weight(kg/m)
150	3	3.75
19	1.2	0.182
16	1.2	0.145
97.5	5.75	4.49
105.5	11.8	9.378
16	1.2	0.151
14.5	1.2	0.136
11	1.2	0.1
58	1.7	0.815
25	1	0.205
31.75	1.9	0.5
22.86	4.9	0.784
31.75	1.5	0.38
31.8	1.3	0.366
22.2	2	0.35
22.2	1.5	0.27
14.7	1.6	0.16
23.8	2.6	0.472
23.8	2.6	0.473
101.6	12.8	9.75
63.3	1.5	0.789
50.8	1.6	0.67
33.6	3	0.782
48.3	3.7	1.42
42.2	3.6	1.192
19.6	1.5	0.24
21.2	1.2	0.21
15.87	1.4	0.18
22.2	1.2	0.225
25.4	1.5	0.31
25.7	2.3	0.46
22.62	1.5	0.27