



WELLSTE
— ALUMINUM —



- Aluminum telescopic pole
- Steel telescopic pole
- Carbon Fiber telescopic pole
- Grow Light Pole
- Luggage Pole
- Selfie Stick
- Canopy Pole
- Tent Poles
- Cleaning Pole
- Outdoor Tooling
- Fruit Picker
- Flag Pole

CONTENT

ABOUT US.....	1
Different Lock types Display.....	2
Flip Lock Telescopic Pole	3
Straight Pull Telescopic Pole.....	4
Steel Antenna Lock Telescopic Pole.....	5
Twist Lock Telescopic Pole.....	6
Round Spring Button.....	7
Spin Button.....	8
Twist Lock Canopy Pole.....	9
Spring Button Canopy Pole.....	10
Accessories.....	11
Projects We Did.....	12
Application.....	13



Flip Lock Telescopic Pole

Alloy Number	6063/6061
Vertical Load Weight	≤30kg
Extended Length	≤10m/32.79'
Surface Treatment	Anodized
Color	Yellow, Blue, Black, Golden, etc.
CNC machine	Bending, Thread, Punch, Laser, Silk Screen
Customized Length, Color, Endcap/Top insert viable	

Flip Lock Telescopic Pole Standard Size Table

Tube shape	OD size(mm)	Wall Thickness(mm)	Section
Round tube	22-26-29.5-33-36.5-40	1.0	6 or less
Round tube	19-22.5-26-29.5-33-36.5-40	1.0	7 or less
Round tube	11.8-14.8-17.5-20.2-23-26-29	0.8	7 or less
Round tube	30-35-40	0.5	3 or less
Round tube	13-16-19-22-25	0.7	5 or less

Details of The Flip Lock Telescopic Poles





Straight Pull Telescopic Pole	
Alloy number	6063/6061
Vertical Load weight	≤3.5kg
Extended Length	≤3m/9.84'
Surface treatment	Anodized
Color	Red, Yellow, Blue, Green, Black, Golden, etc.
CNC machine	Bending, Thread, Punch, Laser, Silk Screen
Customized Length, Color, Endcap/Top insert viable Hollow Inside	

Straight Pull Telescopic Pole Standard Size Table			
Tube shape	OD size(mm)	Wall Thickness(mm)	Section
Round tube	9.3-11.1-12.9-14.7 -16.5-18.3-20.1-21.9-23.7-25.5	0.5	10 or less
Round tube	10.2-11.8-13.4-15-16.6	0.5	5 or less
Round tube	20.1-21.9-23.7-25.5	0.5	4 or less
Round tube	25.9-28.3-30.7-33.1-35.5-37.9	0.5	6 or less
Hexagon Tube	9.37-11.96-14.67-17.34-19.92-22.54-25.14-27.74-30.84	0.6	9 or less

Details of The Straight Pull Telescopic Pole





Steel Antenna Lock Telescopic Pole

Alloy number	201 Steel
Vertical Load weight	≤3.5kg
Extended Length	≤10m/32.79'
Most Sections	24 sections
CNC machine	Bending, Thread, Punch, Laser, Silk Screen
Customized Length, Color, Endcap/Top insert viable Hollow Inside	

Steel Antenna Lock Telescopic Pole Standard Size Table

Tube shape	OD size(mm)	Wall Thickness(mm)	Section
Round tube	2.8-3.6-4.4-5.2-6.0-6.8-7.6-8.4	0.20	8 or less
Round tube	2.8-3.6-4.4-5.2-6.0-7.0-8.0-9-10-11-12-13	0.20	12 or less
Round tube	14-15-16-17-18-19-20-21-22	0.25	9 or less

Details of The Antenna Lock Type Telescopic Pole



Twist Lock Telescopic Pole



Twist Lock Telescopic Pole

Alloy number	6063/6061
Vertical Load weight	≤30kg
Extended Length	≤10m/32.79'
Surface treatment	Anodized
Color	Red, Yellow, Blue, Green, Black, Golden, Grey, etc.
CNC machine	Bending, Thread, Punch, Laser, Silk Screen
Customized Length, Color, Endcap/Top insert viable Hollow Inside	

Twist Lock Telescopic Pole Standard Size Table

Tube shape	OD size(mm)	Wall Thickness(mm)	Section
Round tube	16-19-22-25-28	0.8	6 or less
Round tube	22.5-26-29.5-33-36.5-40	1	6 or less

Details of The Twist Lock Telescopic Pole





Round Spring Button Telescopic Pole	
Alloy number	6063/6061
Vertical Load weight	≤3kg
Extended Length	≤6m/19.67'
Surface treatment	Anodized
CNC machine	Bending, Thread, Punch, Laser, Silk Screen
Customized Length, Color, Endcap/Top insert viable Hollow Inside	
The location and number of the holes can custom according to your needs	

Round Spring Button Telescopic Pole Standard Size Table			
Tube shape	OD size(mm)	Wall Thickness(mm)	Section
Round tube	22-26-29.5-33-36.5-40	1.0	6 or less
Round tube	19-22.5-26-29.5-33-36.5-40	1.0	7 or less
Round tube	11.8-14.8-17.5-20.2-23-26-29	0.8	7 or less

Details of Round Spring Button Telescopic Pole





Spin Lock Telescopic Pole

Alloy number	6063/6061
Vertical Load weight	≤3.5kg
Extended Length	≤6m/19.67'
Surface treatment	Anodized
CNC machine	Bending, Thread, Punch, Laser, Silk Screen
Customized Length, Color, Endcap/Top insert viable Hollow Inside	
The location and number of the holes can custom according to your needs	

Rectangle Spin Lock Telescopic Pole Standard Size Table

Tube shape	OD size(mm)	Wall Thickness(mm)	Section
Irregular shape	9.75-11.61-14.73-17.73-20.73-24.3	0.7/0.8	6 or less

Details of The Rectangle Spin Lock Telescopic Pole






Twist Lock Canopy Pole

Alloy number	6061
Vertical Load weight	≤100lbs
Extended Length	≤3.3m/9.9'
Surface treatment	Anodized/Powder coating
CNC machine	Bending, Thread, Punch, Laser, Silk Screen
Customized Length, Color, Endcap/Top insert viable Hollow Inside	
The location and number of the holes can custom according to your needs	

Twist Lock Canopy Pole Standard Size Table

Tube shape	OD size(mm)	Wall Thickness(mm)	Section
Round shape	19-28-32	1	3 or less





Spring Button Canopy Pole	
Alloy number	6061
Vertical Load weight	≤100lbs
Extended Length	≤3.3m/9.9'
Surface treatment	Anodized/Powder coating
CNC machine	Bending, Thread, Punch, Laser, Silk Screen
Customized Length, Color, Endcap/Top insert viable Hollow Inside	
The location and number of the holes can custom according to your needs	

Spring Button Canopy Pole Standard Size Table

Tube shape	OD size(mm)	Wall Thickness(mm)	Section
Round shape	32/30/28/25	1.5	3 or less





PROJECTS WE DID





Glass surface cleaning



PV panel cleaning



Garden pruning



Swimming pool cleaning



Ceiling cleaning



Home cleaning



Fan Pole



Telescopic led light tower



Tripod



Selfie stick



Plant production light



Telescopic led light